


Exhibits B-88 and B-89

CBR Test Results

DRAFT



TEST INFORMATION

BORING: B-21

DEPTH: 0-4

SAMPLE DESCRIPTION: Brown Fat Clay (CH)

TRIAL: Composite Curve

Surcharge Load: 10 lbs

LABORATORY PROPERTIES

Liquid Limit: 61 %

Plastic Limit: 20 %

Plasticity Index: 41

% Material Passing #200: 96.1 %

CBR RESULTS

Sample molded at 80.4 pcf (dry density)	0.5
Sample molded at 95.2 pcf (dry density)	1.7
Sample molded at 106.8 pcf (dry density)	4.2
Estimated CBR for 95% of standard proctor dry density	2.4


Project Mgr:	
Tested by:	AG
Checked by:	KLA
Approved by:	

Project No.	94245360
Scale:	N/A
Date:	9/9/2024

terracon
 Consulting Engineers and Scientists
 Texas Registration 3272
 2501 EAST LOOP 820 NORTH FORT WORTH, TEXAS 76118
 PH: (817) 268-8600 Fax: (817) 268-8602

**CBR TEST RESULTS
 COMPOSITE RESULTS**

Barrett Solar - Final Study
 Point, TX



TEST INFORMATION

BORING: B-34

DEPTH: 0-4

SAMPLE DESCRIPTION: Dark Brown Fat Clay (CH)

TRIAL: Composite Curve

Surcharge Load: 10 lbs

LABORATORY PROPERTIES

Liquid Limit: 58 %

Plastic Limit: 19 %

Plasticity Index: 39

% Material Passing #200: 87.7 %

CBR RESULTS	
Sample molded at 83.4 pcf (dry density)	0.6
Sample molded at 94.5 pcf (dry density)	1.2
Sample molded at 106.1 pcf (dry density)	3.7
Estimated CBR for 95% of standard proctor dry density	2.0

Project Mgr:	Project No.
Tested by: AG	94245360
Checked by: KLA	Scale: N/A
Approved by:	Date: 9/9/2024

Terracon
 Consulting Engineers and Scientists
 Texas Registration 3272
 2501 EAST LOOP 820 NORTH FORT WORTH, TEXAS 76118
 PH: (817) 268-8600 Fax: (817) 268-6502

CBR TEST RESULTS
COMPOSITE RESULTS
Barrett Solar - Final Study Point, TX